

BASIC program can be created to solve this numbering problem, but BASIC may be too slow. Solving this new problem leads to further complications which would not be necessary with a good operating system editor.

There are certain philosophical advantages to a small operating system. OS65D is small enough that its entire operation can be understood at once. This means hackers can modify and alter the system, not just by POKES and patches, but fundamentally, to suit their own needs. In my experience, most hobby OSI computer owners aspire to or already fall in this hacking category. The smallness of the system puts the user in direct contact with the most fundamental operating system commands and operations. Even though it is slightly more involved, this gives the user the very maximum of control over the system.

This article was written using disassemblies of OS65D V3.2 (NMHZ) Release November 1979. Future articles will cover: (1) the I/O routines; (2) the Disk routines; (3) the ROM, and (4) miscellaneous bits and pieces. The disassemblies I have made are fully annotated (by hand) and are available for those who would like to use them. Send a stamped, self-addressed postcard to me to determine availability.

Tom Berger
10670 Hollywood Blvd.
Coon Rapids, MN 55433

A Six-Gun Shootout Game For The OSI C1P

Charles L. Stanford

The Six Gun Shootout game is a very pleasant and fun activity, particularly for the six to twelve or so age group. But this article concerns more than just the mechanics of writing another BASIC game for the C1P. When I originally wrote the program almost two years ago, we were reasonably satisfied with it. Sure, it was slow. Every time a player moved his gunfighter up or down the screen, the graphics POKES took a lot longer than desired. And remembering that the "1" key was UP and the "2" key was down took a lot away. Those of you who have seen my articles on Fast Graphics (COMPUTE II Issue 3) and on interfacing the Atari Joystick to the C1P (COMPUTE Issue 7) can grasp what happened. Making that program work like it should has taught us more about the workings of the machine, over the past year, than any dozen manuals or articles.

This article, then, is a summing up of the methods we used to speed up both the software and the hardware to make BASIC games both more fun and much more saleable in the not inconsiderable Software marketplace.

BASIC Program Description

The game runs much as the early Arcade versions did. Each player has his gunfighter, who can shoot across the screen. Three Cacti obstruct some of the view, and move to a new location after each shot. Each player can move up or down, and shoot. Each gets 15 shots, and 5 hits wins.

The BASIC program shown in Listing 1 is fairly well annotated with REMs, but a few of the routines bear some discussion. The initialization starting at Line 5 sets the screen up as though no joysticks were available. This was deliberate, and makes the game more universally useful. It is a good idea to do this on all games, whether for paddles or for joysticks. The scoring from Line 200 is handled indirectly through the Fast Graphics Machine Language subroutine. Thus the POKES of the ASCII characters are to that program rather than to the

SOFTWARE FOR OSI

- ★ **VIDEO GAMES 1** \$15.
Three Games. Head-On is like the popular arcade game. Tank Battle is a tank game for two to four. Trap! is an enhanced blockade style game.
- ★ **VIDEO GAMES 2** \$15.
Three games. Gremlin Hunt is an arcade-style game for one to three. Gunfight is a duel of mobile artillery. Indy is a race game for one or two.
- ★ **ADVENTURE: MAROONED IN SPACE** \$12.
An adventure that runs in 8K! Save your ship and yourself from destruction.
- ★ **DUNGEON CHASE** \$10.
A real-time video game where you explore a twenty level dungeon.
- ★ **BOARD GAMES 1** \$15.
Two games. Mini-gomoku is a machine language version of five stones gomoku. Cubic is a 3-D tic-tac-toe game. Both with graphics.
- ★ **DISASSEMBLER** \$12.
Use this to look at the ROMs in your machine to see what makes BASIC tick. Reconstruct the assembler source code of machine language programs to understand how they work. Our disassembler outputs unique suffixes which identify the addressing mode being used, no other program has this!
- ★ **SUPER! BIORHYTHMS** \$15.
A sophisticated biorhythm program with many unique features.
- ★ **C1 SHORTHAND** \$12.
Use only two keys to enter any one of the BASIC commands or keywords. Saves much typing when entering programs. Written in machine language.



For all BASIC-in-ROM systems. Selected programs available on disk. Color and sound on video games.

Send for **FREE** catalog

ORION SOFTWARE ASSO.
147 Main St. Ossining, NY 10562


OSI SOFTWARE FOR OSI OSI

A JOURNAL FOR OSI USERS!!

The Aardvark Journal is a bimonthly tutorial for OSI users. It features programs customized for OSI and has run articles like these:

- 1) Using String Variables.
- 2) High Speed Basic On An OSI.
- 3) Hooking a Cheap Printer To An OSI.
- 4) An OSI Disk Primer.
- 5) A Word Processor For Disk Or Tape Machines.
- 6) Moving The Disk Directory Off Track 12.

Four back issues already available!
\$9.00 per year (6 issues)



ADVENTURES

Adventures are interactive fantasies where you give the computer plain English commands (i.e. take the sword, look at the control panel.) as you explore alien cities, space ships, ancient pyramids and sunken subs. Average playing time is 30 to 40 hours in several sessions. There is literally nothing else like them — except being there yourself. We have six adventures available.

ESCAPE FROM MARS — Explore an ancient Martian city while you prepare for your escape.

NUCLEAR SUBMARINE — Fast moving excitement at the bottom of the sea.

PYRAMID — Our most advanced and most challenging adventure. Takes place in our own special ancient pyramid.

VAMPIRE CASTLE — A day in old Drac's castle. But it's getting dark outside.

DEATH SHIP — It's a cruise ship — but it ain't the Love Boat and survival is far from certain.

TREK ADVENTURE — Takes place on a familiar starship. Almost as good as being there.

\$14.95 each

NEW SUPPORT ROMS FOR BASIC IN ROM MACHINES

C1S — for the C1P only, this ROM adds full screen edit functions (insert, delete, change characters in a basic line.), Software selectable scroll windows, two instant screen clears (scroll window only and full screen.), software choice of OSI or standard keyboard format, Bell support, 600 Baud cassette support, and a few other features. It plugs in in place of the OSI ROM. NOTE: this ROM also supports video conversions for 24, 32, 48, or 64 characters per line. All that and it sells for a measly \$39.95.

C1E/C2E for C1/C2/C4/C8 Basic in ROM machines.

This ROM adds full screen editing, software selectable scroll windows, keyboard correction (software selectable), and contains an extended machine code monitor. It has breakpoint utilities, machine code load and save, block memory move and hex dump utilities. A must for the machine code programmer replaces OSI support ROM. Specify system \$59.95

DISK UTILITIES

SUPER COPY — Single Disk Copier

This copy program makes multiple copies, copies track zero, and copies all the tracks that your memory can hold at one time — up to 12 tracks at a pass. It's almost as fast as dual disk copying. — \$15.95

MAXIPROSS (WORD PROCESSOR) — 65D polled keyboard only - has global and line edit, right and left margin justification, imbedded margin commands, choice of single, double or triple spacing, file access capabilities and all the features of a major word processor — and it's only \$39.95.

P.C. BOARDS

MEMORY BOARDS!! — for the C1P. — and they contain parallel ports!

Aardvark's new memory board supports 8K of 2114's and has provision for a PIA to give a parallel ports! It sells as a bare board for \$29.95. When assembled, the board plugs into the expansion connector on the 600 board. Available now!

PROM BURNER FOR THE C1P — Burns single supply 2716's. Bare board — \$24.95.

MOTHER BOARD — Expand your expansion connector from one to five connectors or use it to adapt our C1P boards to your C4/8P. - \$14.95.

ARCADE AND VIDEO GAMES

ALIEN INVADERS with machine code moves — for fast action. This is our best invaders yet. The disk version is so fast that we had to add selectable speeds to make it playable. Tape - \$10.95 — Disk - \$12.95

TIME TREK (8K) — real time Startrek action. See your torpedoes move across the screen! Real graphics — no more scrolling displays. \$9.95

STARFIGHTER — a real time space war where you face cruisers, battleships and fighters using a variety of weapons. Your screen contains working instrumentation and a real time display of the alien ships. \$6.95 in black and white - \$7.95 in color and sound.

MINOS — A game with amazing 3D graphics. You see a maze from the top, the screen blanks, and then you are in the maze at ground level, finding your way through on foot. Realistic enough to cause claustrophobia. — \$12.95

SCREEN EDITORS

These programs all allow the editing of basic lines. All assume that you are using the standard OSI video display and polled keyboard.

C1P CURSOR CONTROL — A program that uses no RAM normally available to the system. (We hid it in unused space on page 2). It provides real backspace, insert, delete and replace functions and an optional instant screen clear. \$11.95

C2/4 CURSOR. This one uses 366 BYTES of RAM to provide a full screen editor. Edit and change lines on any part of the screen. (Basic in ROM systems only.)

FOR DISK SYSTEMS — (65D, polled keyboard and standard video only.)

SUPERDISK. Contains a basic text editor with functions similar to the above programs and also contains a renumberer, variable table maker, search and new BEXEC* programs. The BEXEC* provides a directory, create, delete, and change utilities on one track and is worth having by itself. — \$24.95 on 5" disk - \$26.95 on 8".

AARDVARK IS NOW AN OSI DEALER!

Now you can buy from people who can support your machine.

—THIS MONTH'S SPECIALS—

Superboard II	\$279
C1P Model II	429
C4P	749

... and we'll include a free Text Editor Tape with each machine!

Video Modification Plans and P.C. Boards for C1P as low as \$4.95

This is only a partial listing of what we have to offer. We now offer over 100 programs, data sheets, ROMS, and boards for OSI systems. Our \$1.00 catalog lists it all and contains free program listings and programming hints to boot.



Aardvark Technical Services • 1690 Bolton • Walled Lake, MI 48088

(313) 669-3110

OSI

OSI

screen. One routine, the "man dead" sequence, is still done in BASIC POKES as a delay is called for here anyway.

The Joystick Interface

As described in the previous article mentioned above, the joysticks are interfaced to the keyboard such that any position can be directly related to the pressing of one or two keys. While the Atari Joysticks have eight positions around the center, only two of them are used in this game, and the others are "masked" out of existence. This is done with the routines beginning at Lines 700 and 750. Line 710's POKE K, 127 activates only Row 7 of the Keyboard. The first statement of Line 720 ORs away any columns except 5, 4, and 3, by forcing 1s into the others. Thus only keys 3, 4, and 5 are accepted as valid inputs. The next two statements of that line mask all but Column 5, so that a "shoot" command gets precedence over a "move" command. Finally, the other two keys are examined in Lines 725 and 730, and one of the move routines is addressed.

The routine at 750 works the same, except that Row 6 is activated, and the other player gets his chance. Each player is queried in turn, so one guy can't stand there and fill the other full of holes. The joystick works the same way as the keyboard, and is certainly a lot easier to use without a lot of practice, especially by the younger players.

Fast Graphics for the Six Gunners

The machine language graphics is done exactly the same way as the Choo Choo Collision demonstration program of the other previous article. A standard routine, shown in Listing 2, addresses a table of graphics symbols. These symbols are tailored for any game or other graphics screen display as shown in Figure 1. First, the Graphics Reference Manual is used to "draw" the characters desired, using a grid of sufficient size. Don't worry about screen location. The BASIC program takes care of that, by POKEing the table. Just lay out the characters, determine the addresses of each of the elements of each character relative to the upper left corner of its grid, and couple that with the character code in making up the table. Each character should be ended with an #\$\$FE (if there are more characters) or an #\$\$FF (for the last character, or to end the routine).

Going Farther

You can just enter this program as-is, and have another nice game for your collection. Or you can dig a lot deeper, and quite possibly learn some techniques that will improve both your programming ability and some of those other games that run a bit slow, or get tiresome because the keyboard sequence is hard to use and remember. Anyone wishing to gain a deeper understanding of either the hardware or the software concepts described here should most certainly look to the other articles referenced.




Figure 1. Graphics Development

Listing 1. Basic Program

```

5 FORS=0TO9:PRINT:NEXT
7 REM-FOR ATARI JYSTKS
10 PRINT" SIX-GUN DUEL GAME
15 PRINT:PRINT:PRINT
20 PRINT"LEFT", "RIGHT"
25 PRINT"----", "----"
30 PRINT" 4 UP", " :
35 PRINT:PRINT" 3 DOWN", " 0
40 PRINT:PRINT" 5 SHOOT", " -
45 PRINT:PRINT:PRINT"YOU HAVE 15 SHOTS EACH.
50 PRINT:PRINT:PRINT"FIVE HITS VINSI
55 PRINT:PRINT:PRINT"HIT SPACEBAR TO START
60 GOSUB100
65 GOSUB80
70 Z=1:L=0:R=0:SL=15:SR=15
75 POKE530,1:K=57008:C=53445:D=54009
80 POKEK,253:IFPEEK(K)=239THEN90
85 GOTO80
90 X=USR(X):GOSUB200
95 GOTO70
100 REM-MACH GRAPHICS
110 RESTORE
115 POKE11,34:POKE12,2:POKE254,96:POKE255,2
120 FORP=0TO1:READM:POKE546+P,M:NEXT
130 DATA160,0,169,32,153,0,211,153,0,210,153,0,209,153,0
135 DATA200,200,200,201,234,234,160,0,177,254,141,06,2,200
140 DATA177,254,141,07,2,200,177,254,170,200,224,254,240,236,224,255
145 DATA240,0,177,254,200,157,60,209,200,236,96,234,234,234,234
148 REM-FIGURES NEXT
149 POKE133,255:POKE134,31:FCRP=0TO152:READM:POKE608+P,M:NEXTP
150 DATA197,200,0,120,1,187,2,120,33,161,34,174,65,149,97,187
155 DATA98,131,99,180,120,187,161,136,162,190,192,5,193,136,194,143
160 DATA195,8,254,170,200,0,186,2,185,32,186,33,184,34,185,65
165 DATA140,254,174,209,0,186,2,185,32,186,33,184,34,185,65,149
170 DATA254,170,210,0,186,2,185,32,186,33,184,34,185,65,149,254
175 DATA240,210,1,120,2,187,3,120,33,173,34,161,66,149,96,161
180 DATA97,131,98,187,130,187,161,180,162,143,192,5,193,136,194,143
185 DATA195,8,254,136,211,0,49,1,53,4,48,10,48,13,49,14
190 DATA53,255,255,0,0,0,0,0,0,0,0,0,0,0,0
195 DATA0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15
199 RETURN
200 REM-SCORE
210 POKE730,48+L:POKE732,48+R
220 IFL=5ORR=5THEN290
230 M=INT(SL/10):N=SL-M*10:IFM=0THENM=-16
240 U=INT(SR/10):V=SR-U*10:IFU=0THENU=-16
250 POKE720,48+M:POKE720,48+N
260 POKE734,48+U:POKE736,48+V
270 IFL=0ANDSR=0THEN290
280 RETURN
290 X=USR(X):GOTO60
300 REM-LEFT MAN DEAD
305 C=C+160
310 POKEC+2,32:POKEC-31,32:POKEC-61,32:POKEC-62,32:POKEC-63,32
315 POKEC-95,32:POKEC-126,32:POKEC-127,32:POKEC-150,32:POKEC-159,32
320 POKEC-150,32
325 POKEC,143:POKEC+1,171:POKEC+3,140
330 POKEC+32,187:POKEC+33,161:POKEC+34,148
335 POKEC+35,187:POKEC+36,187:POKEC-37,128
340 POKEC+30,176:POKEC+64,14
345 FORT=0TO500:NEXT:C=C-160:RETURN
350 REM-RIGHT MAN DEAD
355 D=D+150
360 POKED+5,32:POKED+4,32:POKED-28,32:POKED-60,32:POKED-61,32
365 POKED-62,32:POKED-92,32:POKED-120,32:POKED-125,32

```

```

370 POKED-155,32:POKED-156,32:POKED-157,32
375 POKED+3,139:POKED+5,171:POKED+6,136
380 POKED+32,170:POKED+33,120:POKED+34,187:POKED+35,187
385 POKED+36,140:POKED+37,161:POKED+38,187
390 POKED+70,136
395 FORT=0T0500:NEXT:D=D-158:RETURN
400 IFSL=0GOTO750
405 Q=0
410 FORX=1T03
415 IFC<E(X)-32ANDC>E(X)-128THENG=2:GOTO445
420 NEXT
425 IFC<D-96ORC>D+32THENG=23:GOTO445
430 G=23:GOSUB460
435 GOSUB350
440 L=L+1:GOTO450
445 GOSUB460
450 SL=SL-1
455 GOSUB800:GOSUB200:GOTO690
460 FORX=C+100T0C+100+G
465 POKEX,45
470 NEXT
475 FORT=0T0200:NEXT
480 RETURN
500 IFSR=0GOTO700
505 Q=1
510 FORX=1T03
515 IFC<E(X)ANDD>E(X)-96THENG=2:GOTO545
520 NEXT
525 IFC<C-64ORD>C+64THENG=23:GOTO545
530 G=23:GOSUB560
535 GOSUB300
540 R=R+1:GOTO550
545 GOSUB560
550 SR=SR-1
555 GOSUB800:GOSUB200:GOTO640
560 FORX=D+94T0D+94-GSTEP-1
565 POKEX,45
570 NEXT
575 FORT=0T0200:NEXT
580 RETURN
600 REM-LEFTMOVE
610 Q=0:IFC<53443THEN750
620 C=C-32:GOTO640
630 Q=0:IFC>54019THEN750
635 C=C+32
640 H=C:GOSUB900:POKE609,J:POKE608,M:X=USR(X):IFQ=1THEN700
645 GOTO750
650 REM-RIGHTMOVE
660 Q=1:IFD<53443THEN700
670 D=D-32:GOTO650
680 Q=1:IFD>54019THEN700
685 D=D+32
690 H=D:GOSUB900:POKE609,J:POKE608,M:X=USR(X)
695 IFQ=0THEN750
700 REM-LEFT INPUT
710 POKEX,127
715 Y1=PEEK(K)
720 Y1=Y1OR199:Y2=Y1OR247:IFY2=247THEN400
725 IFY1=239THEN600
730 IFY1=223THEN630
735 GOTO750
750 REM-RIGHT INPUT
760 POKEX,191
765 Z1=PEEK(K)
770 Z1=Z1OR199:Z2=Z1OR247:IFZ2=247THEN500
775 IFZ1=239THEN650
780 IFZ1=223THEN680
785 GOTO700
800 REM-CACTUS LOCATOR
810 EE=53414
820 FORX=1T03
830 E(X)=EE+32*INT(22*RND(1))
840 E(X)=E(X)+X*4
850 H=E(X):GOSUB900
860 ONXGOSUB870,880,890
865 NEXTX:RETURN
870 POKEX,44,J:POKE643,M
875 RETURN
880 POKEX,59,J:POKE658,M
885 RETURN
890 POKEX,74,J:POKE673,M
895 RETURN
900 REM-CHAR LOC SUB
910 J=INT(H/256)
920 M=H-J*256
930 RETURN
990 END
    
```

OK

```

0222 A0 00 LDY,I
0224 A9 20 LDA,I
0226 09 03 STA,A,Y
0229 06 00 D2 STA,A,Y
022C 06 00 D1 STA,A,Y
022F 06 00 D0 STA,A,Y
0232 C8 00 INY
0233 07 F1 BNE
0234 EA NOP
0235 EA NOP
0237 EA NOP
0238 A0 00 LDY,I
023A B1 FE LDA,(1),Y
023C 7D 56 02 STA,A
023F C8 00 INY
0240 B1 FE LDA,(1),Y
0242 7D 57 02 STA,A
0245 C8 00 INY
0246 B1 FE LDA,(1),Y
0248 AA TAX
024C C8 00 INY
024A E0 FE CPX,I
024C F0 EC BEQ
024E E0 FF CPX,I
    
```

```

0250 F0 00 BEQ
0252 B1 FE LDA,(1),Y
0254 C8 00 INY
0255 0D B0 D3 STA,A,X
0258 D0 EC BNE
025A 60 00 RTS
    
```

Listing 2. Machine Language Subroutine

```

0260 C5 00 02A1 72 D1
0262 00 00 02A3 00 BA
0264 01 00 02A5 00 B9
0266 02 00 02A7 00 BA
0268 21 A1 02A9 21 B8
026A 22 AE 02AB 22 B9
026C 41 05 02AD 41 95
026E 61 00 02AF FE
0270 62 00 02B0 F0 02
0272 63 00 02B2 01 80
0274 B1 00 02B4 02 80
0276 A1 00 02B6 03 80
0278 A2 00 02B8 21 AD
027A C0 05 02BA 22 A1
027C C1 00 02BC 42 95
027E C2 00 02BE 00 85
0280 C3 00 02C0 01 83
0282 FE 00 02C2 62 86
0283 0A D1 02C4 02 83
0285 00 00 02C6 A1 8D
0287 00 00 02C8 A2 8F
0289 20 00 02CA 00 75
028B 21 00 02CC C1 68
028D 22 00 02CE C2 8F
028F 41 05 02D0 C3 70
0291 FE 00 02D2 FE
0292 2E D2 02D4 00 83
0294 00 00 02D6 01 21
0296 02 00 02D8 01 2F
0298 20 00 02DA 04 30
029A 21 B0 02DB 0A 30
029C 22 00 02DD 0D 31
029E 41 05 02DF 0E 35
02A0 FE 00 02E1 FF
    
```

Listing 3. Machine Language Graphics Table



MEMOREX Floppy Discs

Lowest prices. **WE WILL NOT BE UNDERSOLD!** Buy any quantity 1-1000. Visa, Mastercard accepted. Call free (800)235-4137 for prices and information. All orders sent postage paid.

PACIFIC EXCHANGES
 100 Foothill Blvd
 San Luis Obispo, CA
 93401 (In Cal. call
 (805) 543-1037)